


Product overview





BORA X BO

Fresh air and clear view

Retain a clear view at all times: the BORA X BO stops you getting a face full of steam when you open the door. Its automatic steam extraction function draws the steam backwards before the door is opened – dehumidified, cooled and filtered. The odour filter even minimises the strong smell typical of fish. Thanks to the multilevel LED lighting, you can see your food through the glass pane in the door in realistic colours – on all three levels.

Simple operation

The BORA X BO is controlled using a huge 19-inch display that can also be tilted if necessary. The touchscreen simply responds to the touch of your fingertips, just like a smartphone. Numerous preset programmes and an intuitive user navigation make cooking as easy as pie!

Cleaning made easy

Is your oven chamber dirty? No problem! The BORA X BO makes life easier for you with both an intensive cleaning and a drying programme – so you don't even need to wipe it dry afterwards! The two-chamber cartridge leaves the oven chamber spotlessly clean without the slightest effort – just like the plates and cups in your dishwasher.

Top performance / best cooking results

As good as it gets: the BORA X BO stands out thanks to its particularly uniform cooking results and its optimum heat distribution. Your meals will come out perfectly, even when you use all three levels at once. For example, if you bake lots of croissants at the same time on three baking trays, they will all turn out equally good!

Design

Its black frame and minimalist design make the BORA X BO a work of art. The display uses impressively clear iconography and integrates seamlessly into the attractive overall picture, which is also enhanced by the stylish stainless steel oven chamber.




bora.com/x-bo



XBO
X BO steam oven



XBORS
X BO frame spacer



XBOGF
X BO odour filter



XBORK
X BO cleaning cartridge



XBOBGR
X BO oven rack



XBOUB
X BO universal tray



XBOGBG
X BO perforated stainless steel tray



XBOGBU
X BO non-perforated stainless steel tray



BORA Professional 3.0

Intuitive control knob

The combination of a classic knob and a touch-operated surface with a razor-sharp LED display enables perfect control. All functions are easily, conveniently and intuitively activated by twisting the knob and tapping the central touch-operated surface.

Premium design

Pioneering design language meets the highest standards in terms of materials and technology. The design highlights are the extractor and the sleek control knob with its stainless steel ring, black glass front and clear, white LED display.

Simple cleaning

All parts that come into contact with cooking vapours can be easily removed through the wide and easily accessible air inlet opening. They can then be cleaned in the dishwasher, where they take up very little space.

Automatic extractor control

The extractor power level automatically adjusts itself to the cooktop usage. There is no need for constant manual adjustment, so users can fully focus on cooking.

Automatic cover flap

The cover flap opens and closes automatically when the extractor is used. When switched off, the elegant system is fully closed.

Oversized 4 24 cooking area

With extra-deep 54cm cooktops, there's even more room to cook, so even 2 large pots or pans can be easily placed one behind the other.

Oversized surface induction cooking zones

Particularly large surface induction cooking zones enable you to consistently warm even very large pots or roasters through.

Minimum volume

Always markedly quiet – even at high power levels: thanks to the optimum airflow and the use of an extremely quiet fan. There are no distractions when cooking and no interruptions when entertaining.

Modular system

BORA offers a wide range of cooktops, from surface induction to gas cooktops or Tepan stainless steel grills, which can be freely combined with the extraction system. Combinations with one, three or more cooktops are also easily achievable.

Accurate temperature control

The Tepan stainless steel grill offers top performance, 2 large grill areas and unique, precise temperature control. The required temperature can be set directly and is accurately displayed and maintained. Rapid heating to 250°C in under 5 minutes saves time and energy.



bora.com/professional



Control knob
Pro 3.0

PKA3

Pro cooktop extractor

PKAS3

Pro cooktop extractor system with integrated fan



Control knob
Pro 3.0, All Black

PKA3AB

Pro Cooktop extractor, All Black


PKAS3AB

Pro cooktop extractor system with integrated fan, All Black




PKFI3

Pro surface induction cooktop



PKI3

Pro induction cooktop



PKIW3

Pro induction wok cooktop




PKC3

Pro HiLight cooktop, 3-ring/2-ring



PKCB3

Pro HiLight cooktop 3-ring/roaster



PKCH3

Pro Hyper cooktop, 1-ring/2-ring



PKG3

Pro gas cooktop



PKT3

Pro Tepan stainless steel grill with 2 cooking zones

All cooktops measure 370 × 540 mm



BORA Classic 2.0

Minimalist design

The cooktop and extractor are completely flush-integrated. The perfect lines allow discreet and elegant integration into any modern kitchen design. When on standby, the operating panel is virtually invisible and during operation it is scaled down to the essentials thanks to intelligent lighting.

Intuitive sControl+ operating panel

The unique operating panel is simpler than ever: it works intuitively by swiping your index finger up or down a smooth hollow or tapping with your fingertip. All important functions can be accessed with a single touch.

Simple cleaning

All parts that come into contact with cooking vapours can be easily removed through the wide and easily accessible air inlet opening. They can then be cleaned in the dishwasher, where they take up very little space.

Automatic extractor control

The extractor power level automatically adjusts itself to the cooktop usage. There is no need for constant manual adjustment, so users can fully focus on cooking.

Integrated drip tray

If anything is spilt while cooking, the integrated drip tray safely catches both solids and liquids.

Oversized 4 24 cooking area

Thanks to the central operating panel by the extractor, no space is taken up by controls on the cooktop and there is room to cook with 4 pots measuring up to 24 cm at the same time.

Oversized surface induction cooking zones

Particularly large surface induction cooking zones enable you to consistently warm even very large pots or roasters through.

Minimum volume

Always markedly quiet – even at high power levels: thanks to the optimum airflow and the use of an extremely quiet fan in the kitchen plinth area. There are no distractions when cooking and no interruptions when entertaining.

Modular system

BORA offers a wide range of cooktops, from surface induction to gas cooktops or Tepan stainless steel grills, which can be freely combined with the extraction system. Combinations with one, three or more cooktops are also easily achievable.

Accurate temperature control

The Tepan stainless steel grill offers top performance, 2 large grill areas and unique, precise temperature control. The required temperature can be set directly and is accurately displayed and maintained. Rapid heating to 250°C in under 5 minutes saves time and energy.



bora.com/classic




CKA2/CKA2AB
Classic cooktop extractor/
cooktop extractor, All Black
116 × 515 mm



CKFI
Classic surface induction
cooktop



CKI
Classic induction cooktop



CKIW
Classic induction wok cooktop



CKCH
Classic Hyper cooktop,
1-ring/2-ring



CKCB
Classic HiLight cooktop
1-ring/2-ring/roaster



CKG
Classic Gas cooktop



CKT
Classic Tepan stainless steel
grill with 2 cooking zones



CER
BORA Classic inlay frame



USL5 15
Side frame for a cooktop
depth of 515 mm



USL5 15AB
All Black side frame for a
cooktop depth of 515 mm

All cooktops measure 327 × 515 mm



BORA X Pure

Minimalist design

The cooktop and extractor are completely flush-integrated. The perfect lines allow discreet and elegant integration into any modern kitchen design. When on standby, the operating panel is virtually invisible and during operation it is scaled down to the essentials thanks to intelligent lighting.

Intuitive sControl operating panel

The unique vertical slider makes operating the cooktop easier than ever by intuitively swiping your finger up or down or directly tapping the controls. All important functions are instantly at your fingertips.

Simple cleaning

All parts that come into contact with cooking vapours can be easily removed through the wide and easily accessible air inlet opening. They can then be cleaned in the dishwasher, where they take up very little space.

Automatic extractor control

The extractor power level automatically adjusts itself to the cooktop usage. There is no need for constant manual adjustment, so users can fully focus on cooking.

Integrated drip tray

If anything is spilt while cooking, the integrated drip tray safely catches both solids and liquids.

eSwap – easy filter change

In recirculation mode, odours are neutralised by a highly efficient activated charcoal filter. To make changing the filter easier, it can be accessed from the top through the air inlet opening, without removing drawers or plinth panels.

Oversized surface induction cooking zones

Particularly large surface induction cooking zones enable you to consistently warm even very large pots or roasters through.

Minimum volume

Always markedly quiet – even at high power levels: thanks to the optimum airflow and the use of an extremely quiet fan. There are no distractions when cooking and no interruptions when entertaining.

Maximum storage space


At under 200 mm, the low installation height and integrated recirculation unit guarantee maximum storage space for pots, pans and other kitchen utensils in the cupboard below. Even in 60-cm-deep kitchen units, no drawers need to be shortened in recirculation mode. A change from the norm.

Variable heat retention function

Depending on the cooking method or food used, it is possible to choose between 3 heat retention levels with different temperatures. This enables you to keep dishes warm at a perfect, constant temperature without any risk of burning them.



bora.com/x-pure



PUXA/PUXU 830 x 515 mm

X Pure surface induction cooktop with integrated cooktop extractor – exhaust air/recirculation



PUXED

X Pure air inlet nozzle



BKR830

Cooktop frame for a width of 830 mm



USL515

Side frame for a cooktop depth of 515 mm



USL515AB

All Black side frame for a cooktop depth of 515 mm



BORA Pure

Minimalist design

The cooktop and extractor are completely flush-integrated. The perfect lines allow discreet and elegant integration into any modern kitchen design. When on standby, the operating panel is virtually invisible and during operation it is scaled down to the essentials thanks to intelligent lighting.

Intuitive sControl operating panel

The unique vertical slider makes operating the cooktop easier than ever by intuitively swiping your finger up or down or directly tapping the controls. All important functions are instantly at your fingertips.

Simple cleaning

All parts that come into contact with cooking vapours can be easily removed through the wide and easily accessible air inlet opening. They can then be cleaned in the dishwasher, where they take up very little space.

Automatic extractor control

The extractor power level automatically adjusts itself to the cooktop usage. There is no need for constant manual adjustment, so users can fully focus on cooking.

Integrated drip tray

If anything is spilt while cooking, the integrated drip tray safely catches both solids and liquids.

eSwap – easy filter change

In recirculation mode, odours are neutralised by a highly efficient activated charcoal filter. To make changing the filter easier, it can be accessed from the top through the air inlet opening, without removing drawers or plinth panels.

Oversized 4 24 cooking area

Thanks to the central operating panel and optimum assignment of cooking zones, there is always room to cook with four pans measuring up to 24 cm at the same time.

Minimum volume

Always markedly quiet – even at high power levels: thanks to the optimum airflow and the use of an extremely quiet fan. There are no distractions when cooking and no interruptions when entertaining.

Maximum storage space


At under 200 mm, the low installation height and integrated recirculation unit guarantee maximum storage space for pots, pans and other kitchen utensils in the cupboard below. Even in 60-cm-deep kitchen units, no drawers need to be shortened in recirculation mode. A change from the norm.

Compact size

Its compact dimensions enable the system to fit into even the smallest of kitchens and the lack of extractor hood creates room for additional wall units.



bora.com/pure



PURA/PURU 760 x 515 mm

Pure induction cooktop with integrated cooktop extractor – exhaust air/recirculation



PUED

Pure Air inlet nozzle, black



PUEDR

Pure Air inlet nozzle, red



PUEDB

Pure air inlet nozzle, blue



PUEDO

Pure air inlet nozzle, orange



PUEDG

Pure air inlet nozzle, greige



PUEDJ

Pure air inlet nozzle, jade green



PUEDS

Pure air inlet nozzle, sunshine yellow



PUEDL

Pure air inlet nozzle, light grey



BKR760

Cooktop frame for a width of 760 mm



USL5 15

Side frame for a cooktop depth of 515 mm



USL5 15AB

All Black side frame for a cooktop depth of 515 mm



BORA S Pure

Design – attractive and sophisticated

Minimalist design with flush integration: the BORA S Pure is a win for every kitchen! The asymmetrical position of the extractor opening is particularly eye-catching, giving the cooktop an extraordinary and modern look – further heightened by the discreet operating panel with intelligent lighting.

Simple operation

Only with BORA can things be this simple: the BORA S Pure can be easily operated by tapping or swiping the touch slider up or down. All key operating functions can be effortlessly accessed in just a few touches.

Simple cleaning

Thanks to the large, easily accessible extractor opening, all BORA S Pure parts that come into contact with cooking vapours can be simply removed for cleaning. What's more, they take up little space in a dishwasher, so cleaning a cooktop extractor couldn't be any more convenient!

Automatic extractor control

The extractor power level automatically adjusts itself to the cooktop usage. There is no need for constant manual adjustment, so users can fully focus on cooking.

Integrated drip tray

If anything is spilt while cooking, the integrated drip tray safely catches both solids and liquids.

eSwap – easy filter change

In recirculation mode, odours are neutralised by a highly efficient activated charcoal filter. To make changing the filter easier, it can be accessed from the top through the air inlet opening, without removing drawers or plinth panels.

Minimum volume

Always markedly quiet – even at high power levels: thanks to the optimum airflow and the use of an extremely quiet fan. There are no distractions when cooking and no interruptions when entertaining.

Ultra-compact design

The solution to all space issues: with its extremely compact dimensions, the BORA S Pure cooktop is the perfect choice for even the smallest of kitchens. It even fits in kitchen units with a width of just 60 cm. This opens up a whole new range of kitchen design options!

Maximum storage space

At under 200 mm, the low installation height and integrated recirculation unit guarantee maximum storage space for pots, pans and other kitchen utensils in the cupboard below. Even in 60-cm-deep kitchen units, no drawers need to be shortened in recirculation mode. A change from the norm.

Best performance

Sophisticated technology for top performance: thanks to the induction coils specially developed for BORA, the entire cooktop surface can be optimally used. The four cooking zones of different sizes can accommodate pots and pans of all conventional dimensions. What's more, with its quiet fan, the extractor is barely audible even on high power.



PURSA/PURSU 580 x 515 mm

S Pure induction cooktop with integrated cooktop extractor – exhaust air/recirculation



PUED

Pure Air inlet nozzle, black



PUEDR

Pure Air inlet nozzle, red



PUEDB

Pure air inlet nozzle, blue



PUEDO

Pure air inlet nozzle, orange



PUEDG

Pure air inlet nozzle, greige



PUEDJ

Pure air inlet nozzle, jade green



PUEDS

Pure air inlet nozzle, sunshine yellow




PUEDL

Pure air inlet nozzle, light grey



USL5 15

Side frame for a cooktop depth of 515 mm



USL5 15AB

All Black side frame for a cooktop depth of 515 mm



bora.com/s-pure



BORA Basic

Genuine stainless steel grease filter

Compared to other frequently-used filter materials, such as aluminium, the stainless steel grease filter will not perish with ongoing cleaning in the dishwasher, retaining its original appearance (no yellowing) and stability.

Easy installation

All BORA cooktop extractor systems have been optimised for quick, easy and error-free installation.

Simple cleaning

All parts that come into contact with cooking vapours can be easily removed through the wide and easily accessible air inlet opening. They can then be cleaned in the dishwasher, where they take up very little space.

Integrated drip tray

If anything is spilt while cooking, the integrated drip tray safely catches both solids and liquids.

Pause function

The pause function can be used to quickly and easily deactivate all cooking zones on a temporary basis. When the function is cancelled, the previous settings are restored.

Oversized 4 24 cooking area

Thanks to the central operating panel and optimum assignment of cooking zones, there is always room to cook with four pans measuring up to 24 cm at the same time.

Minimum volume

Thanks to the optimum airflow in the appliance and the use of a twin fan system, BORA Basic is virtually silent even at high power levels. So it won't distract you from your cooking and your conversations won't be disturbed.

Maximum storage space

At under 200 mm, the low installation height and integrated recirculation unit guarantee maximum storage space for pots, pans and other kitchen utensils in the cupboard below. Even in 60-cm-deep kitchen units, no drawers need to be shortened in recirculation mode. A change from the norm.

Compact size


Due to its compact dimensions, the system fits into almost any kitchen, even small ones, and creates room for additional wall units by eliminating the extractor hood.

Child lock

The child lock prevents the cooktop from being switched on unintentionally or without permission.



bora.com/basic



BHA/BHU 760 × 515 mm

Basic Hyper glass ceramic cooktop with integrated cooktop extractor – exhaust air / recirculation



GP4ED

Air inlet nozzle for Basic/GP4



BFIED

Basic air inlet nozzle, flat, framed in a stainless steel ring




BKR760

Cooktop frame for a width of 760 mm



USL515

Side frame for a cooktop depth of 515 mm



USL515AB

All Black side frame for a cooktop depth of 515 mm

BORA universal articles

**USTF/USTFAB**

Socket type F/All Black

- Suitable for DE, ES, IT, AT, LU, PT, RU, SE, NL

**USTE/USTEAB**

Socket type E/All Black

- Suitable for FR, PL, BE, CZ, SK

**USTJ/USTJAB**

Socket type J/All Black

- Suitable for CH, LI

**USTG/USTGAB**

Socket type G/All Black

- Suitable for UK, AE, SG

**HIW1**

Induction wok pan

- Suitable for BORA induction wok cooktops
- Multi-layered material with special alloy
- High-quality stainless steel handle

**UGS**

Glass ceramic scraper

- Suitable for all BORA glass ceramic cooktops
- Simple removal of dirt and encrustations

**PTTS1**

Teppan spatula

- Suitable for Teppan stainless steel grills
- Suitable for turning food and cleaning

BORA grease filter

**PKA1FF**

Pro stainless steel grease filter

- Suitable for Professional 3.0

**CKAFFE**

Classic grease filter unit

- Suitable for Classic 2.0

**PUEF**

Pure stainless steel grease filter

- Suitable for Pure, X Pure and S Pure

**BFF**

Basic stainless steel grease filter BH/BF

- Suitable for Basic and GP4

BORA odour filter

**ULBF**

Flexible air cleaning box

- Suitable for Professional 3.0 and Classic 2.0
- Service life approx. 300 h/1.5 years

**ULB3AS**

Air cleaning box 3, activated charcoal filter set

- Suitable for Professional 3.0 and Classic 2.0
- Service life approx. 600 h/3 years

**PUAKF**

Pure activated charcoal filter

- Suitable for Pure, X Pure and S Pure
- Service life approx. 150 h/1 year

**BAKFS**

Basic activated charcoal filter set (2 pcs)

- Suitable for Basic and GP4
- Service life approx. 150 h/1 year